



**EMS-01 MAINTAINED / NON MAINTAINED EMERGENCY EXIT SIGN**

- ❖ LED Source Maintained / Non-Maintained (switchable) Emergency Exit Sign.
- ❖ Neutrik PowerCON True1 connection & loop through.
- ❖ Slide out end plate for ease of changing Exit legends (supplied with Arrow Down, Left & Right as standard).
- ❖ Separate mounting plate with M6 Keyholes for ease of mounting to flats or scenic items.
- ❖ 4 x M10 Threaded inserts for attaching hook clamps, half couplers or rigging eyes as required.



TSL PART CODE	LED Exit Sign Switchable M/NM (EMS-01) - True 1
DESCRIPTION	230V IP20 Wall Mounted LED Emergency Exit sign (maintained/non-maintained)
NET WEIGHT (KG)	1.55
FINISH	Black / White
DIMENSIONS (MM)	(L) 390 x (H) 190 x (D) 95
CONSTRUCTION	Pressed Steel
CLASS	I
IP RATING	IP20
WATTAGE	6
LAMP TECHNOLOGY	SMD LED
LUMENS (LM)	105
LUMEN TOLERANCE	5%
EFFICACY (LM/W)	16.4
CIRCUIT WATTAGE (W)	6.41
CCT	6000k (Daylight)
LIFESPAN (HRS)	40,000
DIMMABLE	No
EMERGENCY	Maintained / Non-maintained / Switched
OPERATING TEMPERATURE	0-45°C
INPUT VOLTAGE	230V 50HZ
WARRANTY	3 Years
MANUFACTURED IN ACCORDANCE WITH	BS EN 60598-2-22
ORIGIN OF PARTS MANUFACTURE	CN
ASSEMBLED IN	UK
EAN	5055559179962

### Back Plate Dimensions:



### Unit Dimensions:

